

*Journal of Plant Pathology*

## INDEX OF VOLUME 87

## INVITED REVIEWS

- The population structure of some plant pathogenic bacteria: an ecological and adaptive perspective**  
*M. Scortichini* 5
- Saccharomyces cerevisiae* as a model host for studying gene expression and RNA replication of positive-strand RNA viruses**  
*L. Rubino and M. Russo* 79
- Transmission specificity of plant viruses by vectors**  
*P. Andret-Link and M. Fuchs* 153
- Short taxonomic guide to the Genus 'Candidatus Phytoplasma'**  
*G. Firrao, K. Gibb and C. Streten* 249

## FULL PAPERS

- Incidence of *Verticillium* wilt on olive in Apulia and genetic diversity of *Verticillium dahliae* isolates from infected trees**  
*F. Nigro, P. Gallone, G. Romanazzi, L. Schena, A. Ippolito and M.G. Salerno* 13
- An improved method for the detection of *Phytophthora cactorum* (L.C.) Schröeter in infected plant tissues using SCAR markers**  
*R. Causin, C. Scopel, A. Grendene and L. Montecchio* 25
- Identification and partial characterization of an isolate of *Apricot latent virus* from Palestine**  
*N. Abou Ghanem-Sabanadzovic, H. Abbadi, M. Al Rwabnih, M.A. Castellano and A. Myrta* 37
- Simultaneous and rapid differentiation of members of the *Tomato yellow leaf curl virus* complex by multiplex PCR**  
*F. Gorsane, S. Gharsallab-Chouchene, M.K. Nakbla, I. Fekih-Hassan, D.P. Maxwell, M. Marrakchi and H. Fakhfakh* 43
- Distribution of olive tree viruses in Italy as revealed by one-step RT-PCR**  
*F. Faggioli, L. Ferretti, G. Albanese, R. Sciarroni, G. Pasquini, V. Lumia and M. Barba* 49
- Low temperature growth and enzyme production in *Penicillium* ser. *Corymbifera* species, casual agents of blue mold storage rot in bulbs**  
*D.P. Overy, K. Karlsbøj and M.J. Due* 57
- Molecular identification of species of the *Tomato yellow leaf curl virus* complex in Jordan**  
*G.H. Anfoka, M. Abhary and M.K. Nakbla* 65
- Biological and molecular characterization of Tunisian isolates of *Potato Leafroll Virus***  
*F. Djilani Khouadja, J. Rouzé-Jouan, S. Guyader, M. Marrakchi and H. Fakhfakh* 91
- Nanobiotransducer for detecting flavescence dorée phytoplasma**  
*G. Firrao, M. Moretti, M. Ruiz Rosquete, E. Gobbi and R. Locci* 101

<b>Caladium virus X, a new potexvirus from <i>Caladium Bicolor</i> (Araceae)</b> <i>E.B. Rivas, L.M.L. Duarte, M.A.V. Alexandre, S.R. Galleti, R. Harakava and F.M.C. Fernandes</i>	109
<b>Indexing of viroids in citrus orchards of Campania, Southern Italy</b> <i>M. Malfitano, M. Barone, N. Duran-Vila and D. Alioto</i>	115
<b>Detection of latent infections of <i>Ralstonia solanacearum</i> biovar 2, race 3 in tomato crops</b> <i>E. Stefani, S. Giosuè and U. Mazzucchi</i>	167
<b>Detection of <i>Cherry virus A</i>, <i>Cherry necrotic rusty mottle virus</i> and <i>Little cherry virus 1</i> in California orchards</b> <i>S. Sabanadzovic, N. Abou Ghanem-Sabanadzovic, A. Rowhani, J.A. Grant and J.K. Uyemoto</i>	173
<b>Characterization of antagonistic root-associated fluorescent <i>Pseudomonads</i> of transgenic and non-transgenic citrange troyer plants</b> <i>G. Cirvilleri, S. Spina, G. Scuderi, A. Gentile and A. Catara</i>	179
<b>Whole-cell fatty acid profiles - a tool for species and subspecies classification in the <i>Puccinia recondita</i> complex</b> <i>I.S. Ben-Ze'ev, E. Levy, T. Eilam and Y. Anikster</i>	187
<b>Expression of two <i>Sclerotinia sclerotiorum</i> endo-PG genes correlates with endo-polygalacturonase activity during <i>Glycine max</i> colonization</b> <i>L. Sella, A. Tomassini, R. D'Ovidio and F. Favaron</i>	199
<b>Infection of wampee and lemon by the citrus huanglongbing pathogen (<i>Candidatus liberibacter asiaticus</i>) in China</b> <i>F. Ding, G. Wang, G. Yi, Y. Zhong, J. Zeng and B. Zhou</i>	207
<b>Ultrastructure of Maize necrotic streak virus infections</b> <i>A. De Stradis, M.G. Redinbaugh, J.J. Abt and G.P. Martelli</i>	213
<b>Further characterization of Olive leaf yellowing-associated virus</b> <i>T. El Beaino, M. Saponari, A. Minafra, M.A. Castellano, V. Savino and G.P. Martelli</i>	223
<b>Fungal pathogens can elude the inhibition by host plant polygalacturonase inhibiting proteins (PGIPs) by different mechanisms</b> <i>L. Sella</i>	265
<b>SHORT COMMUNICATIONS</b>	
<b>Specific SCAR primers for the “flag shoot” and “ascospore” biotypes of the grape powdery mildew fungus <i>Erysiphe necator</i></b> <i>H. Hajjeh, M. Miazzi, M.A. De Guido and F. Faretra</i>	71
<b>Viruses of pome fruit trees in Jordan</b> <i>N. Salem, A. Mansour and A. Al-Musa</i>	123
<b>Presence of a recombinant isolate of <i>Plum pox virus</i> in Apulia</b> <i>A. Myrta, M. Al Rwabnih and V. Savino</i>	127
<b>Plum bark necrosis stem pitting-associated virus in different stone fruit species in Italy</b> <i>T. Amenduni, C. Hobeika, A. Minafra, D. Boscia, M.A. Castellano and V. Savino</i>	131
<b>Epiphytic survival of <i>Pseudomonas viridiflava</i>, causal agent of pith necrosis of tomato, on weeds in Turkey</b> <i>Y. Aysan and S. Uygur</i>	135
<b>Detection of viroids in forced citrus cuttings</b> <i>M. Guardo, T. Marletta, G. Boninelli, A. Leonardi, G. Sorrentino and A. Caruso</i>	141
<b>Survival of <i>Ralstonia solanacearum</i> on wood, high density polyethylene and on jute fabric in cold storage</b> <i>D. Pasqua di Bisceglie, A. Saccardi, S. Giosue, F. Traversa and U. Mazzucchi</i>	145

<b>Sequences of the N-termini of coat proteins of Portuguese <i>Zucchini yellow mosaic virus</i> isolates and of an epitope recognized by a monoclonal antibody</b> <i>F.H. Cardoso, A. Armada, A.M. Fonseca, M.T. Santos, J. Sequeira, A. Clemente<sup>1</sup>, O. Sequeira and C. Novo</i>	229
<b>Wound type in apple fruits affects wound resistance to decay-causing fungi</b> <i>A.B. Filonow</i>	233
<b>Natural weed hosts of <i>Apple mosaic virus</i> in hazelnut orchards in Turkey</b> <i>M. Arli Sokmen, N.D. Kutluk Yilmaz, H. Mennan and M.A. Sevik</i>	239
<b>DISEASE NOTES</b>	
<b>The occurrence of alfalfa mosaic virus in <i>Symphytum tuberosum</i> L.</b> <i>M.G. Bellardi and A. Benni</i>	75
<b>Occurrence of pear decline phytoplasmas in Bosnia and Hercegovina</b> <i>B. Duduk, S. Botti, V. Trkulja, M. Ivanovic, J. Stojc'ic' and A. Bertaccini</i>	75
<b>First report of <i>Acidovorax avenae</i> ssp. <i>avenae</i> on rice in Italy</b> <i>P. Cortesi, F. Bartoli, C. Pizzatti, W.Y. Song and N.W. Schaad</i>	76
<b>Two grapevine viruses in an ornamental <i>Vitis</i> species from Scotland</b> <i>P. Saldarelli, M.A. Castellano, B.D. Harrrison and G.P. Martelli</i>	76
<b>A black rot of broad bean leaves and stems caused by a fluorescent <i>Pseudomonas</i> species in central Italy</b> <i>M. Scortichini, D. D'Ascenzo and M.P. Rossi</i>	149
<b>First record of <i>Verticillium dahliae</i> on olive in Malta</b> <i>A. Porta-Puglia and D. Mifsud</i>	149
<b>First record of <i>Fusarium oxysporum</i> f.sp. <i>radicis-lycopersici</i> in Malta</b> <i>A. Porta-Puglia and D. Mifsud</i>	150
<b>First report of fruit tree phytoplasmas and their psyllid vectors in Bosnia and Herzegovina</b> <i>D. Delic, M. Martini, P. Ermacora, L. Carraro and A. Myrta</i>	150
<b>First record of pome fruit viruses in Syria</b> <i>K. Al-Jebr, F. Ismaeil, M.J. Mando, E. Al-Saadoun and S. Al-Chaabi</i>	243
<b>Stem rot of <i>Trachellium caeruleum</i> and <i>Craspedia globosa</i> caused by <i>Sclerotinia sclerotiorum</i> in Argentina</b> <i>S.M. Wolcan and P.J. Grego</i>	243
<b>New record of <i>Acidovorax avenae</i> subsp. <i>cattleyae</i> on orchid in Italy</b> <i>M. Scortichini, D. D'Ascenzo and M.P. Rossi</i>	244
<b><i>Diploceras hypericinum</i> causing leaf blight and stem dieback on <i>Hypericum perforatum</i> in Turkey</b> <i>H.M. Aksoy and C. Çırak</i>	244
<b>First report of <i>Phialophora</i> causing leaf and stem blight on common garden petunia</b> <i>G. Polizzi and A. Vitale</i>	245
<b>First record of <i>Colletotrichum coccodes</i> on potato in Malta</b> <i>A. Porta-Puglia and D. Mifsud</i>	245
<b>First report of three filamentous viruses from cherry in Serbia</b> <i>B. Mandic, S. Matic, W. Jelkmann and A. Myrta</i>	246
<b>First report of almond leaf scorch in Turkey</b> <i>M.E. Güldür, B.K. Çağlar, M.A. Castellano, L. Ünlü, S. Güran, M.A. Yilmaz and G.P. Martel</i>	246
<b>Twelfth SIPaV annual meeting</b> <i>Abstracts of papers</i>	267



## INSTRUCTIONS TO AUTHORS

### Scope of the Journal

The aim of the Journal of Plant Pathology (JPP), an international journal of the Italian Society for Plant Pathology, is to publish results of research on fundamental and applied aspects of plant pathology. Contributions in the field of mycology, bacteriology, virology, physiological plant pathology, plant-parasite interactions, post harvest diseases, non-infectious diseases, and plant protection are welcome. Articles on pesticide screening are not usually accepted.

### Editorial Policy

JPP is open to publication of papers by members and non-members of the Italian Phytopathological Society. Manuscripts submitted for publication will be considered on the assumption that the same or similar work has not been or will not be published elsewhere. Accepted papers become copyright of the Journal.

There is no page charge (except for colour plates) and the authors will receive 25 offprints free of charge.

### Submission of papers

Three sets of the manuscript and figures should be sent to the Managing Editor, Journal of Plant Pathology, Dipartimento di Protezione delle Piante e Microbiologia Applicata, University of Bari, Via Amendola 165/A, 70126 Bari, Italy. Tel. +39.080.5443052; Fax: +39.080.5442911; E-mail: faretra@agr.uniba.it

### Processing of papers

All papers will be peer reviewed by two or more referees. After preliminary examination by Senior Editors to ascertain if they are within the scope of the Journal, submitted papers will be assigned to Associate Editors for further processing. Papers will be accepted by Senior Editors acting upon the advice of Associate Editors. After processing and acceptance of the paper, the authors are expected to supply the Senior Editor with a hard copy of the revised manuscript and a diskette from which the hard copy was printed. Authors are responsible for the scientific content of their papers.

Corrections of proofs will be restricted to printer's errors only. Substantial alterations will be charged to the author.

### Types of papers

The JPP welcomes:

*Standard 'full-length' papers.* As a rule, these should not exceed 15 typewritten pages (400 words per page) and contain no more than ten tables and figures combined. Standard papers are divided into the following sections:

Title; Name(s), affiliation(s), and full address(es) of all author(s); Summary (not exceeding 200 words); Key words (not exceeding five and not appearing in the title); Introduction; Materials and Methods; Results; Discussion; Acknowledgements; References. Some flexibility in layout is allowed for papers that cannot be presented in conventional form. For instance, a combined Results and Discussion section is permitted.

Authors are also requested to include in the first page of the manuscript the name of the corresponding author, with fax number and E-mail address, and a short running title (a condensed version of the title, not more than 40 characters).

*Short communications.* These are intended for reporting brief complete pieces of work, not for preliminary results. Short communications should not exceed six typewritten pages, and contain no more than six tables and figures combined.

The text is not divided into sections, except for a short Summary (100 words), Acknowledgements, and References.

*Disease notes.* These are intended for new or unusual records in abstract form, with one or two references. Their length should not exceed 200 words.

*Review papers.* As a rule, review articles on specific subjects are invited. Unsolicited reviews may be considered, but the authors should contact the Editor-in-Chief in advance.

### Format

All papers must be written concisely in English.

Manuscripts should be typed on one side of A4 paper with double spacing and wide margins. The International System of units (SI) must be adopted for all numerical data. Whenever abbreviations are to be used, the names should be given initially in full with the abbreviation in parentheses, e.g. polyacrylamide gel electrophoresis (PAGE), tobacco mosaic virus (TMV). The CBE Style Manual, Council of

Biology Editors, Inc. Bethesda, MD, USA is recommended as a reference for style and conventions.

Literature citations in the text should be in parentheses, giving the author's name and date and using *et al.*, when the number of authors exceed two [e.g. (Smith, 1994); (Smith and Pearson, 1991); (Smith *et al.*, 1995)]. Citations of personal communications and unpublished data are allowed, but only when strictly necessary. References must be listed in alphabetical order and written in the following formats according to whether they are from:

*Journal*

Elad I., Volpin H., 1991. Heat treatment for the control of rose and carnation grey mould (*Botrytis cinerea*). *Plant Pathology* **40**: 278-286.

*Book*

Abel F.B., Morgan P.W., Saltveit M.F., 1992. Ethylene in plant biology. 2nd Ed. Academic Press Inc., San Diego, USA.

*Book chapter*

Alleweldt G., 1987. The contribution of grapevine breeding to integrated pest control. In: Cavalloro R. (ed.). Integrated pest control in viticulture, pp. 369-377. A.A. Balkema, Rotterdam, The Netherlands.

*Thesis or Dissertation*

Hammer P., 1992. Mechanisms of resistance to infection by *Botrytis cinerea* in rose flowers. Ph.D. Thesis. Pennsylvania State University, University Park, USA.

*Proceedings*

Mortensen K., Makowsky R.M.D., 1989. Field efficacy

of different concentrations of *Colletotrichum gloeosporioides* f.sp. *malvae* as a herbicide for round-leaved mallow (*Malva pusilla*). In: Delfosse E.S. (ed.). *Proceedings 7th International Symposium on Biological Control of Weeds, Rome 1988*, 523-530.

Illustrations (photographs and graphs) should be separated from the text and numbered consecutively using Arabic numerals, in the order in which they are referred to in the text. Glossy prints of photographs can be assembled into a plate when suitable. Slides can be supplied for colour pictures, which will be reproduced at the author's expense. Authors are advised to contact the Managing Editor for an estimate of the cost. Graphs must be drawn in black on good quality white or transparent paper. Lettering on the illustrations should be of a size sufficient to allow for reduction, if necessary. Magnifications must be indicated on the pictures by scale bars.

Illustrations should carry the name of the first author and the figure number, together with the indication of the top. Legends to the figures should be typed on a separate sheet. Tables should also be typed on a separate page, with their own caption, and numbered progressively using Arabic numerals. Captions of illustrations and tables must be clear, concise and self-explanatory.

**Offprints**

Twenty-five offprints are provided free of charge. Additional copies may be ordered at prices quoted in the form accompanying the proofs.

Finito di stampare nel mese di dicembre 2005  
in Pisa dalle  
EDIZIONI ETS  
Piazza Carrara, 16-19, I-56126 Pisa  
info@edizioniets.com  
www.edizioniets.com

